POPULATION ESTIMATES	CENSUS DATA	DATA LOCAL PUBLIC HEALTH				
		 Per				
Total 1995 Population Est 17,610	 	Activities Reported Number 10,000				
Percent Female 50.4	Note: Data in this section are from	Number 10, 000				
	the 1990 Census. (All other	Public Health Nursing				
Population per square mile 30	sections contain 1995 data	Total clients 333 189				
Rank in state 48	except where specified.)	Total visits 567 322 Visits: Reason for				
(1=highest population density, 72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion 308 175				
72-10west population density.)	Income to Poverty	Infant/child hlth 77 44				
	(Cumul ative)	Infectious & parasitic 2 1				
<u>Age Female Male Total</u>		Circulatory				
0-14 1,840 1,940 3,780	Age <100% <185% <200% Total <5 19 51 54 1,229	Prenatal 95 54				
15-19 630 760 1,396	5	Postpartum 85 48				
20- 24 480 550 1, 030 25- 29 420 450 870	5-17 15 41 45 3,501 18-44 14 35 39 6,354	WIC Participants 609 346				
30-34 600 570 1,170	45-64 9 25 27 3, 301	wite raitificipalits 009 340				
35-39 670 660 1,330	65+ 13 45 49 2,869	Clinic Visits 4,630 2,629				
40-44 690 720 1.410		Immuni zati on 2, 121 1, 205				
45-54 970 1,010 1,980		Blood pressure 1,617 918				
55-64 800 770 1,570						
65- 74 840 720 1, 560 75- 84 640 470 1, 110	CANCER INCIDENCE	Environmental Contacts Env hazards 95 54				
75-84 640 470 1,110 85+ 300 110 410	CANCER INCIDENCE (1995)	Public health nuisance 290 165				
Total 8, 880 8, 730 17, 610	(1933)	Tubite hearth hursance 250 105				
3,000 3,700 11,010	Primary site Number	School Health				
	Col on 7	Vision screenings 207 118				
Age Female Male Total	Lung 8	Hearing screenings 117 66				
0-17 2, 240 2, 410 4, 650 18-44 3, 090 3, 240 6, 330	Breast 9 Prostate 12	Health Education				
18- 44 3, 090 3, 240 6, 330 45- 64 1, 770 1, 780 3, 550	All others 37	Health Education Community sessions				
65+ 1,780 1,700 3,330 3,080	Total 73	Community sessions Community attendance				
Total 8, 880 8, 730 17, 610		School sessions				
	·	School attendance				
		L G. CCI TITL				
E M P L O Y M E N T	LUNG TERM CARE					
Note: Average wage is based on place		Total staff 5 2.6 Administrators <1 0.5				
of work, not place of residence.	Home Health Agencies 1	Public health nurses 2 1.2				
or work, not prace or restuence.	Patients 252	Public health aides <1 0.1				
Average wage for jobs covered by Unemployment Compensation \$18,422	Patients per 10,000 pop 143	Environmental specialists <1 0.1				
by Unemployment Compensation \$18,422		<u> </u>				
Labor Force Fottimet A	Nursing Homes 2 Licensed beds 175	LOCAL DUDI LO MEALEM PUNDING				
Labor Force Estimates Annual Average Civilian labor force 8,773	Li censed beds 175 Occupancy rate (percent) 91.6%	LOCAL PUBLIC HEALTH FUNDING Per				
Number employed 8, 404	Occupancy rate (percent) 91.6% Residents on 12/31/95 157 Residents per 1.000	Amount Capita				
Number unemployed 369	Residents per 1,000	Total funding \$180, 734 \$10. 26				
Unemployment rate 4.2%	population aged 65 or older 49	Local taxes \$98, 667 \$5.60				
		ſ				

------ N A T A L I T Y ------| Note | Teenage Births 26 41

----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES fetal deaths. Tuberculosis 0 | Infant | Suicide 1 | . | * Includes HBV carriers | Mortality | Deaths | Rate | * Rate | for female breast cancer based | on female population. | * Includes HCV screens | Total Infant | . . . | Neonatal | | * Post-neonatal | . . . | ALCOHOL AND DRUG ABUSE AS UNDERLYING | OR CONTRIBUTING CAUSE OF DEATH | * Chlamydia Trachomatis | 16 | Genital Herpes | 45 | Race of Mother | Alcohol | 1 | . . | * Gonorrhea | 0 | White | . . | Other Drugs | 3 | . . | Nongonococcal Cervicitis | 0 | Black | . . . | Both Mentioned | . . . | Nongonococcal Urethritis | 0 | Other | | Syphilis | 0 | Unknown | | * Rate for female breast cancer based | on female population. | * ALCOHOL AND DRUG ABUSE AS UNDERLYING | OR CONTRIBUTING CAUSE OF DEATH | * Rate for female breast cancer based | on female population. | * ALCOHOL AND DRUG ABUSE AS UNDERLYING | OR CONTRIBUTING CAUSE OF DEATH | * Both Mentioned | . . . | * Post-neonatal | . . . | Other Drugs | 3 | . . | * Nongonococcal Urethritis | O | Other | . . . | * Other Drugs | . . . | * Both Mentioned | . . . | * Output Drugs | . . | * Output Drugs | . . | * Output Drugs | . . | * Output D | 1,500-2,499 gm | 1,500-2,499 gm | 2,500+ gm | 1,500-2,499 gm | 1,500-2,4 ----- I M M U N I Z A T I O N S ------

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	1,000	Average Stay (Days)	Average	Chargo Per Capi ta
I nj ury-Rel ated:	Al l					Al cohol - Rel at e	d				
Total	213	12. 1	5 . 0	\$9, 278	\$112	Total	48	2. 7	5. 5	\$4, 110	\$11
<18	29	6. 2	3. 4	\$7, 809	\$49	18-44	23	3. 6	4. 1	\$2, 246	\$8
18- 44	66	10. 4	3. 4	\$7, 921	\$83	45-64	15		•		
45- 64	33	9. 3	7. 0	\$13, 472	\$126						
65 +	85	27. 6	6. 1	\$9, 205	\$254	Pneumonia and I	nfluenza				
Injury: Hip H	Fracture					Total	113	6. 4	4.8	\$6, 910	\$44
Total	22	1. 2		\$15, 058	\$19	<18	13	•	•	•	•
65 +	20	6. 5	8. 7	\$14, 923	\$97	45-64	15	•	•	•	•
Injury: Poiso						65+	78	25 . 3	5.4	\$7, 524	\$190
Total	16	•	•	•	•						
18- 44	6	•	•	•	•	Cerebrovascul ar		_			
						Total	76	4. 3	5. 3	\$6, 446	\$28
Psychi atri c					_	45-64	11		•		
Total	138	7.8	8. 2	\$5,610	\$44	65+	65	21. 1	5. 1	\$5, 966	\$126
<18	34	7. 3	11. 4	\$7,846	\$57			_			
18-44	72	11.4	5. 9	\$3, 890	\$44	Chronic Obstruc		nonary D			
45-64	14	•	•	•	•	Total	47	2. 7	3.8	\$5, 183	\$14
65+	18	•	•	•	•	<18	3	•	•	•	•
	- .					18-44	8	•	•	•	•
Coronary Heart					***	45-64	6				
Total	150	8. 5		\$12, 105	\$103	65+	30	9. 7	3. 9	\$5, 335	\$52
45-64	50	14. 1	4. 7	\$14, 647	\$207	D D 1 . 1					
65+	99	32 . 1	4. 2	\$10, 727	\$344	Drug-Related					
	(0	`	43.3			Total	9	•	•	•	•
Malignant Neopl	asms (Cai	ncers):	All	00 140	0.40	18-44	6	•	•	•	•
Total	94	5. 3	5.6	\$9, 143	\$49	m , 1 m , 1					
18-44	10	۰. ۲		011 707	070	Total Hospitali		100 5	4.0	00.000	0005
45-64	23	6. 5		\$11, 707	\$76	Total	2, 297	130. 5	4.3	\$6,630	\$865
65+	61	19.8	5.6	\$8, 472	\$168	<18	381	81. 7 85. 7	3. 2	\$3,510	\$287 \$417
Neoplasms: Fe		ast (ra	nes for	remare po	ppuration)	18-44 45-64	542 370	85. 7 104. 6	$\frac{3.3}{4.7}$	\$4, 865	\$417 \$943
Neoplasms: Co	6		•	•	•	45-64 65+	370 1, 004	325. 4	4. 7 5. 2	\$9, 019 \$7, 886	
Total		L				05+	1, 004	J&J. 4	J. 2	37,000	\$2, 566
10tai 65+	7 5	•	•	•	•	PREVENTA	DIEII	0 C D T	тлт	T 7 A T T	ONC
		•	•	•	•	Total	395	22. 4	4. 3	\$5, 785	\$130
Neoplasms: Lu Total	112					10tai <18	393 46	9. 9	4. 3 2. 6	\$3, 783 \$3, 224	\$130 \$32
iucai	12	•	•	•	•	18-44	40 44	9. 9 7. 0	2. 6	\$3, 224 \$3, 727	\$32 \$26
Di abetes						18-44 45-64	44	7. 0 12. 2	2. 3 3. 7	\$5, 727 \$5, 533	\$20 \$67
Total	34	1. 9	6 5	\$10, 522	\$20	45-64 65+	262	84. 9	5. <i>1</i>	\$6, 622	\$562
65+	34 16	1. 9	U. J	910, J&&	9&U	05+	۵۵۵	04. J	J. U	90, ULL	930£
UJ+	10	•	•	·	•	* Hospitalization effective ambulation.	atory car	ondition e can re	s where	timely a e likelih	nd ood of